The MC 5M cleaners are the most versatile partners for demanding customers in agriculture, industry, construction and automotive. The range succeeds in combining an unmatched level of mobility and ease of use with unbeatable robustness, optimal service and great storage features. The benefits of the Gerni MC 5M series come in the small touches brought to ensure a high ease of storage of accessories, cables and hoses. Storage space requirements are further reduced through a robust yet foldable transport handle. The optimal service concept is aimed at ensuring that any maintenance tasks can be done quickly and cheaply.

- · Tough and sturdy design with 30mm steel frame
- · Optimal storage and transport with foldable handle and easy lifting points
- · High mobility with large rear wheels and most models with front castor wheel or a foot
- · Easy accessibility to pump, optimal service concept
- Ergonomic accessory concept
- 1450 rpm motor and 3 ceramic piston pump for intense use
- Water flow ajustment
- 2 way detergent valve
- Ergonomic accessory concept
- One year commercial warranty

#### • Standard equipment

	Included accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050		
Ergo System Coupling and Adapter							
	NIPPLE	101119496	0	•	•		
High Pressure	e Female Coupling						
()	HOSE NOZZLE R/34	61369	0	•	•		
High Pressure	e Hose, DN8						
0	2WIRE HOSE DN8 10M W.	101405770	0	•	•		
Tornado Lano	e						
/	TORNADO PLUS 1120 BEND   106403010   0   •						
Tornado Noza	zle with Indication Ring						
•	TORNADO NOZZLE 0530 1/8"N	101119742	0		•		
<b>*</b>	TORNADO NOZZLE PLUS 0435	101119739	0	•			

#### MC 5M Series

Model	MC 5M-115/700	MC 5M-200/1050
Ref. no.	107146725	107146726
PRODUCT FEATURES		
Detergent tank	•	•
Single-phase	•	
Three phase		•
Robust steel chassis and frame	•	•
Big wheels and convenient grip	•	•
Parking brake	•	•
Adjustable handle	•	•
Lance and spray gun storage	•	•
Cable storage	•	•
Automatic start/stop	•	•
Ceramic pistons	•	•
1450 rpm motor	•	•
NA5 - 3 ceramic piston pump	•	•
2 x detergent injector	•	•
Technical specifications	MC 5M-115/700	MC 5M-200/1050
Pump pressure (bar/MPa)	115/11.5	200/20.0
Cleaning impact (kg/force)	3.0	5.6
Pump (RPM)	1450	1450
Power consumption (kW)	3	6.1
Voltage/phase/frequency/current (V/~/HZ/A)	240/1/50/14.5	415/3/50/11.4
Water flow Qmax/Qiec (l/h)	700/630	1030/950
El cable (m)	5	5
Nozzle size	0435	0500
Max. inlet temperature (°C)	60	60
Dimensions (L x W x H) (mm)	735 x 570 x 1020	890 x 570 x 1020
Suction height dry (m)	1	1
Weight (kg)	68	78

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
High Pressure	e Male Coupling		1		
	ADAPPTOR M26 SCREW,KEW MA	66159	0	0	0
	ADAPTOR M21 EXT X 3/8" EX	64540	0	0	0
D. C.	CONNECTING PIECE FOR HAND	6401067	0	0	0
T	HOSE NOZZLE	1311	0	0	o
E	QUICK COUPLING NIPPLE (11	1600659	0	0	0
J.	QUICKCOUPLINGSNIPPLE 01K	1604669	0	0	0
High Pressure	e Female Coupling				
	ADAPTOR KEW FEMALE QUICK	66160	0	0	0
	GARDENA MALE 3/4 INCH	32541	0	0	0
Ð	GEKA COUPLING INT	1718	0	o	0
	HOSE NOZZLE R/34	61369	0	•	•
1-1-1	QUICK COUPLING 3/4	1602945	0	0	0
Standard Noz	zle 25° 1/8" NPT				

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
٢	HP-NOZZLE 2505 1/8	7813	0		0
Brush Washir	g				
~	ERGO WASH 3000 FIXED	14202	0	0	0
	WASHING BRUSH, LONG	6400087	0	0	0
•	WASHINGBRUSH, SHORT	6400088	0	0	0
Special Nozzl	e				
(A)	CONTAINER CLEANING NOZZLE	15861	0	0	0
	DISTANCE-NOZZLE	2802696	0		0
	NOZZLE PROTECTION	18430	0	0	0
Standard Noz	zle 0° 1/8" NPT				
.A.	NOZZLE 1/8 NPT	17387	0		0
Liquid Spraye	r				
-	ALTO 8P PRESPRAY UNIT	25598	0	0	0
-	KEW LIQUID SPRAYER 5S	7110005	0	0	0
	KEW LIQUID SPRAYER 10SP	7110010	0	0	0

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
Ű.	LIQUYID SPRAYER 20S S/S	7110020	0	0	0
TurboHamme	r Nozzle		1		
- Free	TURBOHAMMER NOZZLE	301001108	0		0
	TURBOHAMMER NOZZLE W11	48872	0		O
Filter Pressur	e Washer				
	FILTER	1104041	0	0	
	SUCTION FILTER	6400000	0	0	0
	WATER FILTER COMPLETE	107145802	0	0	0
-	WATERFILTER 3/4/50UM	301000173	0	0	0
Non Blacking	High Pressure Hose, DN10				
Q	15 M 2 WIRE HOSE 3/8"	1401983	0	0	0
Q	25 M 2 WIRE HOSE Ø	1402007	0	0	0
Q	GREY HOSE 20MTR FOR POSEI	1401991	0	O	O
$\bigcirc$	HOSE NON BLACKENING	6101767	0	O	O
	HOSE, 30M NON-BLACKING	1402015	0	0	0

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050	
High Pressure	e Hose, DN10					
$\bigcirc$	3 M 2 WIRE HOSE 3/8 DN10	1402932	0	0	0	
0	5 M 2 WIRE HOSE 3/8 DN10	1402940	0	0	0	
0	EXT HOSE 15MTR 3/8	1402064	0	0	0	
0	EXT HOSE 20MTR 3/8	1402072	0	0	0	
	EXT HOSE 25MTR 3/8	1402080	0	0	0	
0	EXT HOSE 30MTR 3/8	1402098	0	0	0	
Q	HOSE, COMP. 10M. BLACK, 3	6101766	0	0	0	
0	STEAM HOSE, 50 M COMPL.	1402759	0	O	0	
High Pressure	e Hose, DN8		1			
0	2WIRE HOSE DN8 10M W.	101405770	0	•	•	
0	10MT EXT. HOSE	1405569	0	0	0	
Ergo System	Ergo System Coupling and Adapter					
ŧ	ERGO COUPLING FEMALE 3/8	106402075	0	0	0	

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
8	HIGH PRESSURE COUPLINGS	101119499	0	0	0
E	Nippel F. Q-COUPL. 3/8	1600493	0	0	0
	NIPPLE	101119496	0	•	•
States of the second	NIPPLE FOR SPRAY LANCE	1609325	0	0	0
	QUICK COUPLING NIPPLE 03K	1603101	0	0	0
Drain and Pip	e Cleaning				
$\mathbf{O}$	DRAIN CLEANER 05, 20 M HO	6401266	0		0
	DRAIN NOZZLE (0001050)	2800084	0		0
$\bigcirc$	PIPE CLEANING HOSE 4X10	301002490	0	0	0
$\bigcirc$	PIPE CLEANING HOSE 4X20	301002491	0	0	0
$\bigcirc$	PIPE CLEANING HOSE 4X30	301002492	0	0	0
Abrasive Blas	ting				
-1	ARMEX-POWDER X REF TO 100	5218617	0	0	0

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
_	HANDLE COMPL. W.RUBBER NO	6401364	0		0
ð	SANDBLASTING HOSE AND PRO	6400375	0	0	O
2	SOFT BLASTING / 05-NOZZLE	6401233	0		0
Brush Rotary					
0	BRISTLE LONG	6401431	0	0	o
•	ROTARY BRUSH LONG	6400016	0	0	0
•	ROTARY BRUSH LONG, 1002K	6400019	0		0
	ROTARY BRUSH SHORT, 1002K	6400018	0		O
Special Lance			1		
	LONG REACH LANCE 1,5M	6401193	0		0
	UNDERCARRIAGE LANCE	6402016	0	0	0
1	UNDERCARRIAGE WASHING EQ	6400036	0	0	0
Hose Reel					
S	HOSE REEL RETRACTABLE	106403168	0	0	O

Image: Nose trouley up to 50 M64001700000Image: Nose treel painted106403130000Image: Nose tree painted106403130000Image: Nose tree painted64012430000Image: Nose tree painted64012430000Image: Nose tree painted64012430000Image: Nose tree painted64012430000Image: Nose tree painted64012450000Image: Nose tree painted64012450000Image: Nose tree painted pa		Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
Import Sprayer End (March Sprayer)   Import Sprayer 6401243 0 0 0   Import Sprayer 6401243 0 0 0 0 0   Import Sprayer FOAM INJECTOR W. BY-PASS 6401245 0 <td>J.</td> <td>HOSE TROLLEY UP TO 50 M</td> <td>6400170</td> <td>0</td> <td>0</td> <td>0</td>	J.	HOSE TROLLEY UP TO 50 M	6400170	0	0	0
Image: FOAM INJECTORFOAM INJECTOR6401243000Image: FOAM INJECTOR W. BY-PASS64012420000Image: FOAM INJECTOR, HIGH-RESIS64012450000Image: FOAM LANCE COMPL. LONG)64043690000Image: FOAM LANCE COMPLETE SHORT64043680000Image: FOAM LANCE COMPLETE SHORT66000Image: FOAM LANCE COMPLETE SHORT66000Image: FOAM LANCE COMPLETE SHORT66000Image: FOAM LANCE COMPLETE SHORT		HOSEREEL PAINTED	106403131	0	0	0
Image: Note of the second se	Injector and F	oam Sprayer		1	1	
Image: Section 1.1Image: Section 2.1Image: Section 2.1Image		FOAM INJECTOR	6401243	0	O	O
Image: Note of the second s	1	FOAM INJECTOR	6401244	0	0	0
Image: Constraint of the second sec		FOAM INJECTOR W. BY-PASS	6401242	0	0	0
Image: Complete Short 6404368 0 0 0 0   Image: Complete Short 6404368 0 0 0 0 0   Image: Complete Short 301001311 0 0 0 0 0		FOAM INJECTOR, HIGH-RESIS	6401245	0	0	0
Image: Market in the second		FOAM LANCE COMPL. LONG)	6404369	0	0	0
	4	FOAM LANCE COMPLETE SHORT	6404368	0	0	0
INJECTOR 02, COMPL.   6401246   0   •	and the second s	HP HOSE L=300 MM W ERGO 3	301001311	0	0	0
		INJECTOR 02, COMPL.	6401246	0	0	
INJECTOR 03, COMPL.   6401247   0   •   •	6	INJECTOR 03, COMPL.	6401247	0	0	0
Spray Gun	Spray Gun					

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
	GUN	106402190	0	0	0
Ø	REP KIT SWIVEL JOINT	101119484	0	0	0
	SIDE BAR, COMPL.	106402110	0	0	O
Tornado Noza	zle with Indication Ring				
	NOZZLE PROTECTION	106402425	0	0	0
<b>*</b>	TORNADO NOZZLE 0530 1/8"N	101119742	0		•
<b>*</b>	TORNADO NOZZLE PLUS 0435	101119739	0	•	
Short Lance					
/	10CM SHORT LANCE	106402151	0	0	0
*	DOUBLE LANCE W/O NOZZLE L	106402150	0	0	0
FlexoPower L	ance				
/	FLEXOPOWER PLUS 960	106402282	0	0	0
/	LANCE FP-3000 920/N.NOZ.	106402281	0	0	0
TurboHamme	er Lance				
	TURBOHAMMER PLUS 1115	106403003	0		0
	TURBOHAMMER PLUS 1125	106402290	0	0	
	TURBOHAMMER PLUS 1125	106402291	0		0

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
Tornado Lano	e e e e e e e e e e e e e e e e e e e				
	TORNADO PLUS 630	106403013	0	0	0
	TORNADO PLUS 1000 BEND	106403011	0	0	0
	TORNADO PLUS 1120 BEND	106403010	0	•	•
Universal Lan	ce				
	UNIVERSAL PLUS 650 W/O	106403032	0	0	0
	UNIVERSAL PLUS 1080 W/O	106403033	0	0	0
	UNIVERSAL PLUS 1560 W/O	106403031	0	0	0
	UNIVERSAL PLUS 2060 W/O	106403030	0	0	0
	UNIVERSAL PLUS LANCE	106403034	0	O	O
/	UNIVERSAL PLUS LANCE	106403035	0	0	0
	UNIVERSAL PLUS LANCE 940	106403036	0	0	0
PowerSpeed	Vario Lance				
	POWERSPEED VARIO 0500	106403093	0		0

	Accessories	Ref. no.	Min. required	MC 5M-115/700	MC 5M-200/1050
	POWERSPEED VARIOLANCE L.1	106403092	0	0	
Hose and Co	nnection				
	NILFISK BA VALVE COMP	106411177	0	0	0
Surface Cleaning Rotary					
	HYDROSCRUB P300 P+H	106403187	0	0	0