The Gerni MC 2C is desgned for low intensity use and routine cleaning tasks.

It offers excellent cleaning performance, professional spray equipment, good storage facilities and handling.

The Gerni MC 2C 120/520 (formerly known as the POSEIDON 2-22) offers a high level of ergonomics with great cleaning power. The Gerni MC 2C is designed for routine semi-professional use mainly by tradesmen, on small construction sites or for rentals. When you need increased cleaning efficiency, ergonomics and durability for superior everyday cleaning look no further!

Gerni. The only Gerni.

- Automatic Start/stop
- Ergo accessory concept
- Brass cylinder head for long life
- Steel reinforced High Pressure Hose (standard 10 m, XT 15 m)
- · Detergent injector hose and doser
- Removable integrated detergent tank (2L)
- Water flow regulation
- · Adjustable transport handle
- One year commercial warranty



Picture shown may not represent model quoted

 Standard e 	equipment
--------------------------------	-----------

	Included accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI	
Ergo System	Coupling and Adapter					
	NIPPLE	101119496	0		•	
High Pressure	e Female Coupling					
	GARDENA MALE 3/4 INCH	32541	0		•	
High Pressure	e Hose, DN6					
	HOSE DN6 10M 1W FOR P-2	126528620	0		•	
FlexoPower L	ance					
/	FLEXOPOWER PLUS 960	106402282	0		•	
Tornado Noza	Tornado Nozzle with Indication Ring					
1	NOZZLE 0370 INDICATION	101119737	0		•	

Model	MC 2C-120/520	MC 2C-120/520 XT GERNI
Ref. no.	128470249	128470824
PRODUCT FEATURES		
Single-phase	•	•
Ergo accessory system	•	•
Stainless steel pistons	•	•
Hose reel		•
Additional rotary jet lance	•	•
Compact design	•	•
Brass cylinder head	•	•
Automatic start/stop	•	•
Technical specifications	MC 2C-120/520	MC 2C-120/520 XT GERNI
Pump pressure (bar/MPa)	120/12	120/12
Cleaning impact (kg/force)	2.2	2.2
Pump (RPM)	2800	2800
Power consumption (kW)	2.3	2.3
Voltage/phase/frequency/current (V/~/HZ/A)	230/1/50/10	230/1/50/10
Water flow Qmax/Qiec (I/h)	520/470	520/470
El cable (m)	5	5
Detergent tank (L)	2	2
Nozzle size	.0350	.0350
Max. inlet temperature (°C)	60	60
Stainless steel pistons	3	3
Dimensions (L x W x H) (mm)	394x391x955	394x391x955
Weight (kg)	27.1	27.1

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI
High Pressur	e Male Coupling				
	ADAPPTOR M26 SCREW,KEW MA	66159	0		0
	ADAPTOR KEW GUN TO WAP AC	66161	0		0
	ADAPTOR M21 EXT X 3/8" EX	64540	0		0

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI
T	HOSE NOZZLE	1311	0		0
E	QUICK COUPLING NIPPLE (11	1600659	0		0
J	QUICKCOUPLINGSNIPPLE 01K	1604669	0		0
High Pressure	e Female Coupling				
	ADAPTOR KEW FEMALE QUICK	66160	0		0
	GARDENA MALE 3/4 INCH	32541	0		•
Ð	GEKA COUPLING INT	1718	0		0
(e	HOSE NOZZLE R/34	61369	0		0
E.	QUICK COUPLING 3/4	1602945	0		0
Brush Washir	ng				
~	ERGO WASH 3000 FIXED	14202	0		0
	WASHING BRUSH, LONG	6400087	0		0
*	WASHINGBRUSH, SHORT	6400088	0		0
Special Nozz	e				

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI
	NOZZLE PROTECTION	18430	0		0
Filter Pressur	e Washer				
	FILTER	1104041	0		0
Ţ	SANDFILTER	1604461	0		0
	SUCTION FILTER	6400000	0		0
	WATER FILTER COMPLETE	107145802	0		0
-	WATERFILTER 3/4/50UM	301000173	0		0
Ergo System	Coupling and Adapter				
1	ERGO COUPLING FEMALE 3/8	106402075	0		0
8	Nippel F. Q-COUPL. 3/8	1600493	0		O
	NIPPLE	101119496	0		•
	QUICK COUPLING NIPPLE 03K	1603101	0		O
Brush Rotary					
0	BRISTLE LONG	6401431	0		0

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI
•	ROTARY BRUSH LONG, 1002K	6400019	0		0
e de la compañía de	ROTARY BRUSH SHORT, 1002K	6400018	0		0
Special Lance	•				
	LONG REACH LANCE 1,5M	6401193	0		0
	UNDERCARRIAGE LANCE	6402016	0		0
, t	UNDERCARRIAGE WASHING EQ	6400036	0		0
Hose Reel					
	HOSE TROLLEY UP TO 50 M	6400170	0		0
Injector and F	oam Sprayer	1			
	FOAM LANCE COMPL. LONG)	6404369	0		0
1	FOAM LANCE COMPLETE SHORT	6404368	0		0
	INJECTOR 02, COMPL.	6401246	0		0
Spray Gun					
	GUN	106402190	0		0

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI
Ø	REP KIT SWIVEL JOINT	101119484	0		0
\checkmark	SIDE BAR, COMPL.	106402110	0		0
Tornado Noz	zle with Indication Ring				
ap 🧖	NOZZLE 0370 INDICATION	101119737	0		•
Short Lance					
/	10CM SHORT LANCE	106402151	0		0
¥	DOUBLE LANCE W/O NOZZLE L	106402150	0		0
FlexoPower I	ance				
/	FLEXOPOWER PLUS 960	106402282	0		•
/	LANCE FP-3000 920/N.NOZ.	106402281	0		0
Tornado Lan	ce de la constante de la consta				
/	TORNADO PLUS 630	106403013	0		0
/	TORNADO PLUS 1000 BEND	106403011	0		0
/	TORNADO PLUS 1120 BEND	106403010	0		0
Universal La	ice				

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI
~	UNIVERSAL PLUS 650 W/O	106403032	0		0
	UNIVERSAL PLUS 1080 W/O	106403033	0		0
	UNIVERSAL PLUS 1560 W/O	106403031	0		0
	UNIVERSAL PLUS 2060 W/O	106403030	0		0
	UNIVERSAL PLUS LANCE	106403034	0		0
	UNIVERSAL PLUS LANCE	106403035	0		0
	UNIVERSAL PLUS LANCE 940	106403036	0		0
PowerSpeed	Vario Lance				
	POWERSPEED VARIO 037 BLUE	106403091	0		0
High Pressure	e Hose, DN6				
Ø	HOSE DN6 10M 1W FOR P-2	126528620	0		•
Drain and Pip	e Cleaning				
0	PIPE CLEANING HOSE 4X10	301002490	0		0
\bigcirc	PIPE CLEANING HOSE 4X20	301002491	0		0

	Accessories	Ref. no.	Min. required	MC 2C-120/520	MC 2C-120/520 XT GERNI	
\bigcirc	PIPE CLEANING HOSE 4X30	301002492	0		0	
Abrasive Blas	sting					
Ý	WSB KIT INCL. PICK UP HOS	301112493	0		0	
Surface Clea	Surface Cleaning Rotary					
	HYDROSCRUB P300 P+H	106403187	0		0	